

AMENDMENTS TO THE CLAIMS

Please amend the Claims as follows:

1. (Previously Presented) A device for neutralizing odors caused by vaginitis, which consists of an absorbent substrate impregnated with a liquid composition consisting of 4-6 percent by volume of saccharomyces ferment, 0.4-0.6 percent by volume of poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-, 0.15-0.25 percent by volume of potassium sorbate, 0.15-0.25 percent by volume of cetylpyridinium chloride, 0.1 percent by volume of disodium EDTA, 0.04-0.06 percent by volume of lactic acid, and 92-96 percent by volume of water.

2-4. (Canceled).

5. (Previously Presented) A method for neutralizing odors caused by vaginitis which consists of applying to the effected area of the body a liquid composition consisting of 4-6 percent by volume of saccharomyces ferment, 0.4-0.6 percent by volume of poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-, 0.15-0.25 percent by volume of potassium sorbate, 0.15-0.25 percent by volume of cetylpyridinium chloride, 0.1 percent by volume of disodium EDTA, 0.04-0.06 percent by volume of lactic acid, and 92-96 percent by volume of water.

6-7. (Canceled).

8. (Original) The method of claim 5 wherein said liquid composition is impregnated on an absorbent substrate.

9. (Original) The method of claim 8 wherein said absorbent substrate is a fibrous wipe.

10. (Original) The method of claim 5 wherein said effected area to which the liquid composition is applied is the human female genitalia.

11. (New) A method for neutralizing odors caused by vaginitis which consists of applying to the effected area of the body a liquid composition consisting of 5 percent by volume of saccharomyces ferment, 0.5 percent by volume of poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-, 0.2 percent by volume of potassium sorbate, 0.2 percent by volume of cetylpyridinium chloride, 0.1 percent by volume of disodium EDTA, 0.05 percent by volume of lactic acid, and 93.95 percent by volume of water.

12. (New) The method of claim 11 wherein said liquid composition is impregnated on an absorbent substrate.

13. (New) The method of claim 12 wherein said absorbent substrate is a fibrous wipe.

14. (New) The method of claim 11 wherein said effected area to which the liquid composition is applied is human female genitalia.